



CENTURION

ROMAN BLIND SYSTEM

EXCLUSIVE TO SCOTT FREE (AUST)



SCOTT FREE
(AUST) PTY LTD

your industry partner



CENTURION

ROMAN BLIND SYSTEM

Advantages of the CENTURION Roman Blind system: -









- Durable, long-lasting quality.
- UV-resistant.
- UV-stabilised.
- Track lengths available: 5.8mtrs
- Top or face fixing.
- Velour Loop Tape - Minimise Puckering
- Soft Fall Feature - One Click and the blind descends
- Soft Fall Feature - Can be stopped at a Favourite Position

 **SCOTT FREE**
(AUST) PTY LTD
your industry partner







9 Distribution Avenue, Molendinar QLD 4214
P.O. Box 988 Nerang QLD 4211

P: 07 56791920
F: 07 56791075
info@scottfreeaust.com.au
www.scottfreeaust.com.au

CENTURION Roman Blind System (with Soft Fall Option)




Code	Description	Package
	RM.HR6 Head Rail with Velcro 5.8mtr - White	10 Lengths Per Pack
	RM.HRC Head Rail End Caps - White	500
	RM.ATR Aluminium Hex Rod 5.8mtr	10 Lengths Per Pack
	RM.CMS Control Mechanism 1:2 Ratio	100
	RM.DWC Cord Winder Set with 3mtr Cord	200
	RM.OR Brass O Ring	1000
	RM.SCW Spring Clip Style Install Bracket - White	500
	RM.OTB Dual Action One Touch Install Bracket	250
<p>For The Soft Fall Option - Please ensure a minimum of 150g per Spool for Correct Operation.</p>		

CENTURION Roman Blind System (with Soft Fall Option)

Code	Description	Package
 RM.1.***	Roman Backing Bar 3.6mtr	20 Lengths Per Pack
 RM.3.***	Spline 2.5 / 3.2 / 4.0mm	250mtr
 RM.T.***	Roman Baton Bar 3.6mtr	20 Lengths Per Pack
 RM.2.***	Backing Bar Cord Clips	500
 RM.4.***	Backing Bar End Clips	200
 PA.1.HLT	Velour Tape 25mm 50mtr	1 Roll

For The Soft Fall Option
- Please ensure a minimum of 150g per Spool for Correct Operation.

CENTURION Roman Blind System (Soft Fall Components)

Code	Description	Package	Price
	RM.CML Control Mechanism 1:2 Left Hand	100	
	RM.SPC Soft Fall Speed Controller	100	
	RM.CMR Control Mechanism 1:2 Right Hand	100	
<p style="text-align: center;">For The Soft Fall Option - Please ensure a minimum of 150g per Spool for Correct Operation.</p>			



9 Distribution Avenue, Molendinar QLD 4214
P.O. Box 988 Nerang QLD 4211

P: 07 56791920
F: 07 56791075
info@scottfreeaust.com.au
www.scottfreeaust.com.au